Tecneco

The independent filters factory

PROGRAMMA FILTRI GAS GPL METANO

METHANE GAS GPL FILTERS PROGRAM

RISPETTANO LA NORMATIVA CE 461/2010 OE QUALITY CE 461/10 COMPLY WITH EC LAW 461/2010

TÜV SÜD ISO 9001

TECNECOFILTRATION

Tecneco
The independent filters factory

Oggi, rispetto a qualche anno fa, il parco auto con alimentazione a **GAS Gpl e/o Metano**, circolante in Italia, è considerevolmente aumentato. Le ragioni di questo incremento sono sicuramente legate a questioni di ordine economico, e quindi il costo più basso del GAS rispetto a combustibili più tradizionali come benzina e diesel. Anche un'accresciuta coscienza ambientale, della nostra società, ha avvicinato molti utenti all'utilizzo di auto con sistemi di alimentazione che utilizzano carburanti più ecosostenibili come Gpl e Metano. Per finire, un ruolo importante è stato giocato anche dai recenti incentivi governativi all'acquisto/trasformazione di auto alimentate a GPL e/o Metano, che anno dato un forte impulso alla crescita del parco circolante di questi veicoli.

Vista la diffusione delle vetture alimentate a **GAS Gpl e Metano**, la sostituzione del filtro GAS, ad ogni tagliando, è ormai entrata a far parte dei regolari interventi di manutenzione, come la sostituzione di qualsiasi altro filtro. In particolare, il rispetto delle tempistiche di sostituzione consigliate permette di prolungare la vita delle varie componenti dell'impianto, primi tra tutti gli iniettori, in genere piuttosto delicati e costosi da sostituire.

Con questo flyer dedicato, semplice ed immediato, **TECNECO** raccoglie ed organizza la sua gamma filtri **GAS Gpl e Metano**, fornendo informazioni tecnico/commerciali utili per rivenditori ed installatori.

Reti metalliche micro-stirate alluminate.

Saldature elementi metallici mediante tecnologia Laser, per garantire maggiore tenuta alle alte pressioni di esercizio.



Media filtranti sintetico/compositi poliammide + fibra di vetro con capacità di separazione acqua/gas pari al 95% e totalmente ignifughi in base alla normativa DIN 53438.

Testati 100% per mezzo di prova di tenuta a Elio.

Tutti dotati di o-ring e guarnizioni per il mpntaggio.

Att.: Come per tutti i filtri carburante, anche i filtri GAS devono essere in grado di garantire una capacità di separazione acqua/gas, Gpl o Metano, pari al 95%. Per questo è molto importante che i filtri Gas vengano prodotti con l'impiego di media filtranti sintetico/compositi poliammide + fibra di vetro, gli unici in grado di performare un'efficace separazione acqua/gas, sfruttando il principio di coalescenza. Con il termine coalescenza si indica il fenomeno fisico attraverso il quale le gocce di liquido si uniscono per formare delle entità di dimensioni maggiori. Nel nostro caso, le gocce di acqua si uniscono per poi essere separate ed in seguito eliminate dal Gas. Questo procedimento avviene solo ed esclusivamente se si utilizzano media filtranti compositi e non in cellulosa naturale.

RISPETTANO LA NORMATIVA CE 461/20
QUALITY
CE 461/19

GAS LPG FILTER RANGE

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
1	**GAS1**	*TECNECO*	OK	BRC BRC Ydea Ashika Clean Filtron Hoffer Japanparts Sofima Ufi	09SQ99010000 09SQ99010005 C/50 10GAS1S MPG6008 PM999/20 4890 FOGAS1S S6005G 4600500	**GAS LPG FILTER / BRC SYSTEM**	Ø1 - Ø2 **42** Ø3 **16,8** Ø4 **16,8** H **57,5** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
2	**GAS11**	*TECNECO*	OK	Ydea Ydea Ashika Japanparts Japko	L/12LF L/14LC 10GAS11S FOGAS11S 1GAS11S	**GAS LPG FILTER / EMMEGAS SYSTEM**	Ø1 - Ø2 **45** Ø3 - Ø4 **12** H1 **73** H2 **124** ***3 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
3	**GAS13**	*TECNECO*	OK	Fiat Fiat Ydea Med	71753999 71754829 U/14 FL375	**ALFA ROMEO** Mito 1.4 Turbo GPL 88KW-120HP Mot.198A4000 08->**FIAT** Panda II 1.2 8V GPL/LPG 44KW-60HP Mot.188A4000 03->Punto II 1.2 8V GPL/LPG 44KW-60HP Mot.188A4000 07->**LANCIA** Delta III 1.4TJet GPL/LPG 88KW-120HP Mot.198A4000 08->**METHANE LPG FILTER / MED SYSTEM FOR MULTIPOINT POWER**	Ø1 - Ø2 **53** Ø3 - Ø4 **14** H1 **67** H2 **105** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
4	**GAS13INT**	*TECNECO*	OK	Fiat Fiat Ydea Sofima Ufi	71753999 71754829 C/16 S6008G 4600800	**ALFA ROMEO** Mito 1.4 16V Turbo GPL 88KW-120HP Mot.198A4000 08->**FIAT** Panda II 1.2 8V GPL/LPG 44KW-60HP Mot.188A4000 03->Panda II 1.2 8V GPL/LPG 44KW-60HP Mot.188A4000 09->Punto II 1.2 8V GPL/LPG 44KW-60HP 07->**LANCIA** Delta III 1.4T GPL/LPG 88KW-120HP Mot.198A4000 08->**INTERNAL CARTIDGE OF GAS13**	Ø1 - Ø2 **41,5** Ø3 **17** Ø4 **17** H1 **49,5** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
5	**GAS15** NEW	*TECNECO*	OK	Ashika Japanparts Japko	10GAS15S FOGAS15S 1GAS15S	**GAS LPG FILTER / UNIVERSAL**	Ø1 - Ø2 **45** Ø3 - Ø4 **12** H1 **55** H2 **100** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
6	**GAS2**	*TECNECO*	OK	Fiat Fiat Landi Nissan Opel/Gm Opel/Gm Vauxhall Toyota Ydea Sofima	71753479 71769503 67R010278 L161037000 881068 9271806 7711060721 PZ49V0081051 L/14F S1836B	**GAS LPG FILTER / LANDI SYSTEM**	Ø1 - Ø2 **50** Ø3 - Ø4 **14** H1 **58** H2 **94** ***3 Bar***	

TECNECOFILTRATION © **2020 - PEOPLE IDEAS PRODUCTS**

Immagini e/o codici prodotto a scopo illustrativo / Images and products p/numbers are for demonstration purposes - more info on www.tecneco.com

GAS LPG FILTER RANGE

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
7	**GAS21** NEW	*TECNECO*	OK	Ashika 10GAS21S Avs G119K Fiat 71753616 Hoffer 4882 Japanparts FOGAS21S Japko 1GAS21S Meat e Doria 4882 Renault 169191812R	**GAS LPG FILTER / MED (LANDI) SYSTEM**	Ø1 - Ø2 **36** Ø3 **16** Ø4 **16** H1 **16** ***LANDI pressure regulator***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
8	**GAS3**	*TECNECO*	OK	Matrix F30015L Matrix XF301 Parker 1014010136 Ydea C/15 Ashika 10GAS3S Japanparts FOGAS3S Japko 1GAS3S Sofima S6007G Ufi 4600700	**GAS LPG FILTER / ZAVOLI / BENDINI SYSTEM**	Ø1 - Ø2 **42** Ø3 **16,8** Ø4 **16,8** H1 **54** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
9	**GAS35** NEW	*TECNECO*	OK	Ashika 10GAS35S Japanparts FOGAS35S Japko 1GAS35S	**GAS LPG FILTER / UNIVERSAL**	Ø1 - Ø2 **45** Ø3 - Ø4 **16** H1 **55** H2 **100** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
10	**GAS36** NEW	*TECNECO*	OK	Ashika 10GAS36 Japanparts FOGAS36S Japko 1GAS36S	**GAS LPG FILTER / UNIVERSAL**	Ø1 - Ø2 **50** Ø3 - Ø4 **16** H1 **69** H2 **128** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
11	**GAS4**	*TECNECO*	OK	Ydea L/14C Ydea L/14F Ashika 10GAS13S Japanparts FOGAS13S Japko 1GAS13S	**GAS LPG FILTER / UNIVERSAL**	Ø1 - Ø2 **45** Ø3 - Ø4 **14** H1 **59** H2 **106** ***3 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
12	**GAS42** NEW	*TECNECO*	OK	Ashika 10GAS42S Avs G159 Hyundai 3302304100 Japanparts FOGAS42S Japko 1GAS42S Kia 3302304100	**HYUNDAI** i10 II 1.0 GPL (49KW - 67HP) 02/14-> **KIA** Picanto II 1.0 LPG (TA) (49KW - 67HP) 02/14->	Ø1 **45** Ø2 **45** Ø3 **34** H1 **64** ***4,5 Bar***	

TECNECOFILTRATION © **2020 - PEOPLE IDEAS PRODUCTS**

Immagini e/o codici prodotto a scopo illustrativo / Images and products p/numbers are for demonstration purposes - more info on www.tecneco.com

GAS LPG FILTER RANGE

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
13	**GAS46001**	*TECNECO*	OK	Fiat Ydea Avs Hoffer	51887585 L/14LV-1 G721 5072	**ALFA ROMEO** Giulietta 1.4 16V Turbo GPL (Mot. Euro 5) **FIAT** 500L 1.4 16V Turbo GPL (Euro 5) Bravo II 1.4 16V Easy power GPL (Euro 5) Grande Punto 1.4 Easy power GPL (Euro 5) Punto Evo 1.4 Easy power GPL (Euro 5) **LANCIA** Delta II 1.4 T-Jet Ecochic GPL 06/08->	Ø1 **58** Ø2 - Ø3 **16** H1 **80** H2 **130** ***30 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
14	**GAS46002**	*TECNECO*	OK	Fiat Fiat Landi Opel Ydea Ashika Hoffer Japanparts Ufi	71769795 51905867 161035001 8064681 L/14LV-2 10GAS37S 5047 FOGAS37S 4600200	**ALFA ROMEO** Mito 1.4 16V Turbo GPL (Mot. Euro 5) **FIAT** 500 1.2 GPL, Panda Classic 1.2 8V GPL (Euro 5) Panda II, Panda III 1.2 8V GPL (Euro 5) 500L Bravo II, Grande Punto 1.4 GPL (Euro 5) **LANCIA** Musa e Ypsilon MY 2003 1.4 GPL Ecochic Ypsilon MY 2011 1.2 GPL Ecochic	Ø1 **58** Ø2 - Ø3 **16** H1 **80** H2 **130** ***10,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
15	**GAS5** NEW	*TECNECO*	OK	Ashika Japanparts Japko	10GAS5S FOGAS5S 1GAS5S	**GAS LPG FILTER / ZAVOLI SYSTEM**	Ø1 - Ø2 **46** Ø3 **12** Ø4 **12** H1 **75** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
16	**GAS7** NEW	*TECNECO*	OK	Ashika Japanparts Japko	10GAS4S FOGAS4S 1GAS4S	**GAS LPG FILTER / EMER SYSTEM**	Ø1 - Ø2 **66** Ø3 **11** Ø4 **11** H1 **89** ***4,5 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
17	**GAS8**	*TECNECO*	OK	Ydea Japanparts	L/11F FOGAS8S	**GAS LPG FILTER / BIFUEL SYSTEM**	Ø1 - Ø2 **50** Ø3 - Ø4 **11** H1 **54** H2 **100** ***3 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS		APPLICATIONS	DIMENSIONS "mm"	IMAGE
18	**GAS9**	*TECNECO*	OK	Lovato Lovato Ydea Ashika Avs Clean Filtron Japanparts Sofima Ufi	1294017 4205001 C/51 10GAS9S G151 MPG6007 PM999/19 FOGAS9S S6006G 4600600	**GAS LPG FILTER / LOVATO SYSTEM**	Ø1 - Ø2 **42** Ø3 **16,8** Ø4 **16,8** H1 **51,6** ***3 Bar***	

TECNECOFILTRATION © **2020 - PEOPLE IDEAS PRODUCTS**

Immagini e/o codici prodotto a scopo illustrativo / Images and products p/numbers are for demonstration purposes - more info on www.tecneco.com

GAS LPG FILTER RANGE

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
19	**MT14**	***TECNECO***	OK	Fiat 71771247 Avs G902 Ydea MT503	All the cars of the FIAT group equipped with natural gas system originally, with EURO 5/6 homologation **Installed into the pressure reduce** **Filter material in polyamide-glass composite**	Ø External **18** Ø Internal **12** Length **14** ***0,8 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
20	**MT18**	***TECNECO***	OK	Fiat 71753147 Ydea MT501 Ashika 10GAS33S Avs G901 Bsb MET0001 Clean MPG6011 Hoffer 4995 Japanparts FOGAS33S	All the cars of the FIAT group with natural gas system, built starting from 04/09-> EURO 3/4 **Installed into the pressure reduce** **Filter material in polyamide-glass composite**	Ø External **18** Ø Internal **12** Length **18** ***0,8 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
21	**MT32**	***TECNECO***	OK	Fiat 60657348 Ydea MT500 Ashika 10GAS32S Bsb MET0002 Clean MPG6012 Hoffer 4996 Japanparts FOGAS32S	All the cars of the FIAT group with natural gas system, built up to -> 03/09 **Installed into the pressure reduce** **Filter material in polyamide-glass composite**	Ø External **18** Ø Internal **12** Length **32** ***0,8 Bar***	

#	TECNECO	RANGE	AVAIL	O.E. P/NUMBERS	APPLICATIONS	DIMENSIONS "mm"	IMAGE
22	**MT77**	***TECNECO***	OK	Fiat 71753149 Ydea MT502 Avs G903	FIAT Grande Punto Natural Power -> 12/09 FIAT Punto EVO -> 01/2010 FIAT Ducato Natural Power 2006 dal 04/09-> **The same application of filter MT18** **Installed into the oil separator** **Provided with O-ring** **Filter material in polyamide-glass composite**	Ø External **22,5** Ø Internal **18** Length **77** ***0,8 Bar***	

TECNECO, for its GAS Gpl and Methane filters range, uses only synthetic filter media / polyamide + fiber-glass composites, the only ones able to guarantee an effective water / gas separation, exploiting the coalescence principle.

TECNECOFILTRATION © **2020 - PEOPLE IDEAS PRODUCTS**

Immagini e/o codici prodotto a scopo illustrativo / Images and products p/numbers are for demonstration purposes - more info on www.tecneco.com

People, Ideas, Products for new horizons in filtration

TECNECOFILTRATION

www.tecneco.com

TecAlliance TecDoc Inside

inforicambi.it

ClipParts

Kromeda a Solera company